SECTION B. CONTRIBUTING FACTORS

SPECIAL HANDLING REQUIRED IN accordar Para. 66, OPNAY INSTRUCTION 3750.6.

PART	GENERAL			
CO. FITRON CHE ZERO TWO VF-102 2-67A	2220A	F-4B	152207	
TO: Commander, Naval Aviation Safety Center	36°44' N 16°	46' E	AIPHA	
USS AMERICA (CVA-66)	2220	3 min	346	
GOMGARDIV POUR	PROM. CVA-66 TO CVA-66			
COMMAVAIRIANT	VFR	est. 300 kts	47,000	
pilot became disoriented, crew ejected.	unch, gyro faile	S.L. O	TERRAIN NA	
26. LIST MODEL, RING, REPORTING CUSTODIAN AND CHANGE CLASSIFICATION OF A	12日度 11日		A SHELLING	
FACTOR	FACTOR	/ 12	FACTOR	
	(b) (5)			

Contract and the last and the l			LCDR	(b) (6)		USN	(6)	9	L30	Pilot F		
PAGE	NLOVE, D. N.		INS		1325	USNR		1	Material Officer	N.F.O.	9	
d	TO STATE OF THE PERSON NAMED IN				2000		IT	N.		200 4	122	
2	ALL MODELS			3067	_	TT.	DAY/NIGHT		ALL IN MODEL	203	88	
	12.					TOLP LANDINGS LAST 6 MONTHS IN MODEL			3/	27		
=1	ALL MODELS IN LAST 12 MONTHS			299		DAY/NIGHT			ALL	25/1		
ENCE	13. ALL MODELS IN LAST 3 M		55		INSTRUMENT HOURS LAST 3 MONTHS ACTUAL/SIMULATED			IN MODEL	3.5/	3.8		
	14.	A/C		1282.5		20.		The same	ALL	6.0		
		OFT/OF	A 200	unknown	E248	NIGHT HOURS	LAST 3 MD	NTHS	IN MODEL	6.0	FAU.	
	IS. ALL SERIES THIS MODEL	A/C		215.3		JETS (If Je	t mishap)		Mars of	2697		
	LAST 12 MONTHS	OFT/OP	unkgówn			HELDS (if hels mishap)			DATE	31 Jan	67	
	ALL SERIES THIS MODEL.	A/C		unknown	200	THIS MODEL			DUMATION	1.4	AUTON	
				nkthown		TYPE INSTRU		AL HA	NDUNG RE	OU PER L	-	
5.	24 NAME (LAST, FIRST, & MISSLE MITTIG.)			001 TOTAL	Sharedin III	AFFICE IN	III THEW IS IN		endonce mi	2750 At	ACCU1	
篮	N.A.					-	PARA	46-6	PHAVINST.	32 USE		

PARA. 66. OPRAY INSTRUCTION 3750.6. et as edition

P			MA STREET		MAINTENAN	S. FLT. HES	CHE STATE	THE	E. FLIGHT HOURS	B. BAYS
g	DATE OF M	NUFACTURE	HRS. SINCE	PAR	SINCELAST	SINCE LAST	DVERHALL ACTIVITY	LAST CHECK PERFORMED	SINCE LAST CHECK	LAST CHECK
CHI			ACCEPTANCE	OVERHALL	PAR/OVERHALL	PARANERWAL	NAS	PRINCIPAL PRINCI		
A.	6 JAN	65	862.3	One	Six	225.1	MORIS	000	54.2	10. DAYS
4	-	2. ENGINE	3. FLIGHT	ANNER OF	WAS DIR.	SINCE LAST	OVERHALE	LAST CHECK	SINCE	SINCE
	MODEL	SERTAL	HRS. SINCE	OVERHALLS	REQLESTED?	OVERHALL	ACTIVITY	PERFORMED	LAST CHECK	LAST DECK
ORY	(1)	MATERIAL STREET, STREE	STATE OF THE PARTY	STATE OF THE PARTY	SEIN		NAS	ACCEPT	50.9	58
ST	379-8B	401472	804.3	One	2000	505.2	QUONSET	AUGE 1	,00,	THE PERSON NAMED IN
# 3	(2)	(SEE)						000	55.9	83
19	179-88	421582	870-5	None		MANAGEMENT OF	Name and Address of the Owner, where the Owner, which the Owner, where the Owner, which the	STATE OF THE PARTY	CONTRACTOR OF THE PARTY OF	ar const
ENG	(3)	335					RESERVE OF	The Maria		100000
	(4)		1000000			CONTRACT OF	S COMMON TOPIC	STATE OF THE PARTY.	DESCRIPTION OF THE PARTY OF THE	
	(4)		Man H	PLANE.	No and In-					
	1		2. ,	MUFACTURERS	POTAL H	RS. OVER-	SINCE LAST	OVERHALE.	MAS DIR.	SER. NO.
*	INVOLV	COMPONENT ED NOMENCLA		PART NUMBER	ON PAR	HALLS	OVERHALL	ACTIVITY	REQUESTED?	N SEE ENGLISH
STOR	(1)		TOTAL MISS				TNV	UNK	The state of the s	
=	Displa	cement	Gyro CN4	944/AJB-	3 UNK	UNK	UNK	UDA	THE RESERVE OF	THE RESIDENCE OF
FINT			Marie Do			Mark Mark	The second	Real Control	230000	
ONE	12.00		(COS) (COS)	A DESIGNATION		100 100 100		NO DESCRIPTION		
COMPON	(3)		100					The second		S PER DESIGNATION OF
œ	111			No. of Lot	Real STREET, S	NAME OF TAXABLE PARTY.	A DESCRIPTION	DATE SEE		A PARTIE OF
	1.	P	ARTS REPAIR	RED	2. DIR	ECT MANIOUSS T	NYOLVED 2.		ARTS REPLACED	URE .
POPULOENTE	PA	RT NUMBER	1000	NOMENCLATU	RE		PAR	T NUMBER	NUMERICA	NAME OF TAXABLE PARTY.
1	No.				To be seen		Carlo Sale	STATE OF STATE		
1	N.A	*30.500 B						STEWNS SE		
			W2003 200							
	1000		0.50			REFER IN		BOOK IS SEE		
R	1000					1950		E0010 250	NEW STORY	NAME OF TAXABLE
ĸ			1000			10.50			THE PARTY IN	
8			225							
			2000							
			1988							The second second
E,	District of	SEC. 200	JET ENGINE	E FLAMEOUT			I securing	to prevent en	gine damage)	7. ATTITUDE
	AT TIME	DF 1 1. ALT		1 2, 185	3. 100	1 4. 66	1 PLANE	MELVER AT TIME OF		
	FLAMECA	л	N.A.				12. MA	1 107 T 1 10 FUEL	CONTROL	14, 95, 95, 1847 ATTRMPTS
	1. 4 FORG	ES S. REL	1847		10. ALTITUDE	11. tA	THE WAR			
		Marie Company	ATTEMPTED	ACCOMPLI SHED		STREET, STREET, ST.	CAUSE OF ENDI	The second second	STREET, STREET	SERVICE DESCRIPTION
	INTENTION SECURE	IAL IS. ENG	INE SYMPTOMS		1 100	2 192	3/1/18			SELECTION OF THE SELECT
		THE STATE OF			BECIPI	ROCATING F	NGINE FAILU	RE		OF REAL PROPERTY.
	12. ALTI	-	110. IAS	10. ATTIT				TORQUE/BIRD	SA FORE FLE	TE. DIL PRESSURE
			NAME OF		BURGE		314	Park Inter	SERVICE SERVIC	No. of Parties
	INTENTIO	14  11 00	ITE STAFFERS			THE REAL PROPERTY.	, CAUSE OF BOUR	100	THE SAME	
	S 18036	STEEL STEEL		3757	March 1	M. Basic	- ME	CHEST DES	NAME OF TAXABLE PARTY.	STATE OF THE PARTY
	15647179	-	S CONCERNING							
	E	TUR SERIAL	NAMES	No.A			STATE OF STREET	AND DESCRIPTION OF THE PERSON	No. of the last of	Section 1988
	5 2 DIE	MESSAGE R	EQUEST DATE-	TIME-GROUP_	A STATE OF THE PARTY OF THE PAR		THE RESERVE			14 CHAPTER P.
	3. OT							10 10 10	LING REQUIRE	D .
	2 4	E MI				He I				
	The second second							in record	THE RESERVE TO SERVE THE PARTY OF THE PARTY	THE RESERVE OF THE PARTY OF THE
								Control of the Control	AVINST 3750	1,68
								ARA 66 OPP	LAVINST 3750	36.

SPECIAL HANDLING REQUIRED in accordances AIRCRAFT ACCIDENT REPORT OPHAY FORM 3750-1 (Rev. 3-63) Page 3 3450/32 Shuttle 143 kts 500 PSI 25 knots SEAR SEAR I CATAPULT NABL 608904-1 Ms 2 MOD 0 No. 3, waist inboard C-13 17. This portion shall be completed whenever (1) an aircraft accident involves arrenting gear barrier and/or barricade equipment, or (2) an aircraft accident involves malfunctioning of arrenting year, barrier and/or barricade equipment. Incidents or routine damage to cables, weldings and other expensive equipment need not be reported berein. . CONTROL VALVE SETTINGS ACCUMILA-TOR PRES-SURE (PS1) (for cable failures specify no. landings and months in service) SHIPS RAM DECK CONSTANT PRESSURE TRAVEL ENGAGED OUT (WT. LBS.) (FEET) DOME 19.5.1.1 DECK PENDANT N. DECK PENDANT BARRIER/BARRICADE FOR ACCIDENTS ABOARD CARRIERS (Complete on pilot) DEPLOYMENT 1. DATE DEPLOYED CONUS 11 Jan 67 13.3/7 11.9/7 S. NO. DATS OPERATING PERIOD 21 S. INST. HOURS LOGGED SINCE DEPLOYN ACTUAL/SIMULATED S LAST DO DAYS RE/LANDINGS SINCE DEPLOYMENT 2.6/2 2.5/2 1.2/2.1 WEATHER AT SCENE OF MISHAP ALTIMETER SETTING 3: RELATIVE WIND DIRECTION AND VELOCIT A. TEMPERSON 30.44 mi. hage 345/32 knots oursies aleby comply our like aleby a Density Altitude - 370 ft. Sea State - Slight PART III ADDITIONAL INFORMATION COPY DISTRIBUTION REMARKS PART SECTION ITEM 2 CC NAVAVNSAFECN DIRECT (AAR) lcc NPRO ST. LOUIS Сору 1 CC BUNEPS DIRECT (AAR) 1 cc COMCVW-6 1 cc CO USS AMERICA 1 oc COMCARDIV FOUR 1 cc COMSIXTH FLEET 1 cc COMPAIRMED 1 co COMPATRIORVA 1 cc COMMAVAIRLANT 1 00 00 TF-102 19 February 1967 COST DAMAGE TO: None

PART IV SIGNATURES OF THE BOARD

Unknown

### PART IV THE ACCIDENT

- 1. At approximately 2220 A on 1 February 1967 LCPR Jerome C. BARKETT and his NFO ENG Donald MANLOVE were launched from the inboard waist, number three, catapult of the USS AMERICA (CVA-66) on a night air intercept training dission. The launch appeared normal in all respects. Shortly after launch prifly observers saw the aircraft began to lose altitude. The pilot was told to pull up. The aircraft was seen to climb briefly but then again it started a descent. The pilot was again told to pull up. The pilot reacted by selecting afterburners and rotating the aircraft to a higher nose up attitude. Shortly thereafter the crew ejected and were picked up by the airborne rescue helocopter. Both crewman were returned on board USS MERICA approximately fifteen minutes after the launch and neither one sustained injuries as result of the accident.
  - 2. The pilotless aircraft continued to fly for approximately 10 minutes after ejection of the crew and subsequently crashed into the sea approximately 6 miles from the ship off the port quarter.

### PART VI DAMAGE TO THE AIRCRAFT

1. The aircraft crashed into the water approximately SIX miles off the port quarter of USS AMERICA (CVA-66). No debris of any kind was recovered.

PART VII INVESTIGATION AND ANALYSIS

(b) (5)

(b) (5)

PART VIII CONCLUSIONS

(b)(5)

## ORIGINAL

VF-102 AAR 2-67A

### AIRCRAFT ACCIDENT REPORT

### INDEX TO ENCLOSURES

- 1. Statement of the Pilot, LCDR J. C. BARENTI
- 2. Statement of the NFO, ENS D. N. MANLOVE
- 3. Statement of the Air Boss, CDR N. A. GASTRUCCIO
- 4. Statement of the Prifly Observer, AQF3 W. M. CARVER
- 5. Statement of LT D. B. NICHOLS
- 6. Statement of the Catapult Officer, LT R. A. HENRY
- 7. Previous AJB-3 Failure Hessage
- 8. Statement of the Maintenance Officer, LCDR R. S. MACRUS
- 9. Taped interview with the Pilot, LCDR J. C. BARENTI

# All statements withheld under exemption (b)(5).

The Medical Officer's
Reports were withheld
entirely under
exemptions (b)(5)
and/or (b)6) of the
FOIA.

NNNIN CZCA4SC596CZCSLA216 PFIE JAW RUCIYHROS76 7331055-EEEE -- RUCILSA . DE RUTKEEDOC9 2332237 ZNY EEEEE P 022037Z FEB 67 FM USS AMERICA TO RUCIJDA/CNO RUCILSA /NAVAL AVIATION SAFETY CENTER FUEDBHBLZBQKAVAIRSYSCOM INFO ZEN/CTF SKH ZERO RUTPRCCOMSIXTHFLT FUCINBA/COMFAIRNORVA FUCILMA /COMNAVAIRLANT FUCIHHA/1" &- 5. LOUIS RUCLAKA /REPLACEMENT CARRIER AIR WING FOUR RUWJAPA/REFLACEMENT CARRIER AIR WING ONESNWO RUFRF/CC MFAIRMED BT

596

ROCK . IND

UNCLWU FOR OFFICIAL USE ONLY
PFELIMINARY AND SUPPLEMENTARY MSG REPORT OF ACFT ACCIDENT
A. OPNAVINSTH63752.6

1. F-4B BUNO 152207, VF-122

2. I FEB 67 APPROX 2220A, IONIANSEA & MED

PAGE TWO RUTKRECOOP UNCLAS E F T O 3. NITE INTERCEPT 4. ALFA, ACFT LOST AT SEA

5. NORMAL NITE CAT LAUNE

FOTATION TO 10 DEGREES APPEARED NORMAL. WHILE MAINTAINING AN INDICATED 10 DEGREES CLIMB ON AJB-3 ACFT WAS SEEN BY TOWER PERS TO BE DECENDING. PILOT TOLD TO PULL UP. ACFT SEEN TO COMMENCE CLIMB THEN AGAIN DECEND. WARNED AGAIN BY TOWER TO CLIMB. PILOT REACTED BY SELECTION. BURNER AND ROTATING ACFT TO GREATER NOSE UP ATTITUDE. STATED BOTH AJB-3 AND STANDBY GYRO INDICATEBRIO DEGREES NOSE UP AND DID NOT IN WCATE A CHANGE IN NOSE ATTITUFHFOURING, ROTATION.

TOWER OBSERVERS STATED ACFT AVEARED TO ROTATE TO A STEEP NOSE HIGH ATTITUDE. PILOT NEXT NOTED AIRFFAME SHUDDER AND WING NL

MED RIO TO EJECT END FOLLOWED IMMED TREREAFTER.

POSIT APPROX 3 MILES AHEAD OF SHIP. &CFT REVISHED IN SEA APPROX
6 MILES ASTERN 10 MINUTES AFTER EJECTION.
6. BARENTI, JEROME C., LCDR, 81310 (b) (6) USNNCTPYE CVW-SIX
NO INJURY
7. NFO MANLOVE, DONALD NWYL ENS, 1325 (b) (6), USNR ACTIVE VF-102
NO INJURY

PAGE THEZEYRUTKEEEEB9 VHINGLAG E F T S

9. BOTH EJECTION SEATS AND SURVIVAL EQUIP FUNCTIONED NORMALLY.
HELD PICKUP NORMAL.WX CLEAR VIS 6 MILES HAZE NO MOCK SEA STATE
TEMP 53F. DEW POINT 51F

VF-102

2-1-67

48 152207